

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE AND SUPPLIER

Product name:	EPRISURE® Microject [™] for Cattle
ACVM Approval No:	A11934
Recommended use:	For the treatment and control of internal parasites, including lungworm in cattle
Company name:	Alleva Animal Health Limited
Address:	1/116a Harris Road, East Tamaki, Auckland, 2013, New Zealand
Telephone:	0064-9-4181405
Emergency telephone number:	National Poisons Centre: 0800 764 766 (0800 POISON) Fire Service, Ambulance: Dial 111
Restrictions of Use	Refer to Section 15
Date of SDS Preparation	11 April 2022 v1

SECTION 2: HAZARDS IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Veterinary Medicines (Non-Dispersive Closed System Application) – HSR100758

Pictograms



Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.

Safety Data Sheet



Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute/chronic Cat. 1	H400/410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil	H432	Hazardous to soil organisms
Hazardous to terrestrial vertebrates	H433	Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates	H441	Hazardous to terrestrial invertebrates

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fume, vapours or spray.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at
	hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes.
P351+P338	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement	
P501	Dispose of according to Local Regulations or Authorities	



SECTION 3: COMPOSITION

Product form:	Liquid	
Product Components:		
Name	CAS	Proportion
Eprinomectin	123997-26-2	2% w/v
Benzyl alcohol	100-51-6	>5% W/V
Glycerol formal	4740-51-6	>5% W/V
Other ingredients	Proprietary	To 100%

SECTION 4: FIRST AID MEASURES	
Necessary first aid measures:	General Information: Remove victim from contaminated area. If there is a risk of unconsciousness, position and transport in a stable lateral position. Take container/label or MSDS for identification.
	Skin Contact: Immediately remove all contaminated clothing, including footwear. Wash with water for 15 minutes. Seek medical attention if irritation persists.
	Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention
	Ingestion: Rinse mouth with water. Seek immediate medical assistance. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.
	Inhalation: Remove patient to fresh air, avoid breathing vapours yourself. If not breathing apply resuscitation. Seek medical assistance.
Most important symptoms and	Symptoms:
effects, both acute and delayed	Causes serious eye irritation.



	May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
	May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.
Notes for medical personnel:	There is no specific antidote. Apply symptomatic therapy.

SECTION 5: FIRE FIGHTING MEASURES	
Type of hazard:	Non-flammable, combustible, non- explosive
Fire hazard properties:	Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.
Extinguishing media and methods:	Sprayed water jet, foam, dry chemical powder CO2 and sand. Do not allow water to enter drains.
Hazchem code:	3Z
Recommended protective clothing:	Fire fighters should wear self- contained breathing apparatus in enclosed areas. Fight fire in the early stages if it is safe to do so.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing. Restrict access to contaminated area.
Environmental Precautions:	Contain the spill and prevent further dispersion. Prevent contamination of water courses and sewers.
Procedure for Spills:	Retrieve intact containers from the site. Place damaged containers into containment devices. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb further inert material. Collect spilled material and place in sealable containers for subsequent disposal.
Procedure for Disposal:	Contaminated material must be disposed of at an approved landfill or

Safety Data Sheet



other approved facility in accordance with local, regional and national requirements. Avoid contamination of any water supply with product or empty container.

SECTION 7: HANDLING AND STORAGE	
Precautions for safe handling:	 Handle with care. Read label before use. Do not handle until all safety precautions have been read and fully understood. Do not breathe fume, vapours or spray. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective clothing. Use personal protective equipment as required. Apply with well-maintained and calibrated equipment. Keep container tightly closed.
Conditions for safe storage:	 Store in a cool and dry environment. Keep out of reach of children. Keep locked away so that unauthorised persons do not have access. Keep away from food, drink and animal feeding stuffs. Store away from sources of ignition. Store away from incompatible materials listed in Section 10.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)



Substance

TWA ppm mg/m³

STEL ppm mg/m³

No substance has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2020 12TH EDITION.

Engineering controls:	Use in well ventilated area
Personal protection:	Respiratory protection: Not required.
	Hand protection: Protective gloves for chemical use including nitriles.
	Eye protection: Safety chemical goggles should be worn. Hygiene procedures: Keep the place of work clean. Avoid contact with product. Keep working clothes separate. Change badly soiled or soaked clothing. Wash hand before breaks and at the end of work. Remove contaminated protective clothing. Keep away from food stuffs, drinks and tobacco.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear colourless to pale yellow solution
Odour	Mild odour
Odour Threshold	Not available
рН	Not available
Boiling Point	Not applicable
Melting /Freezing	Not applicable
Point	
Freezing Point	Not applicable
Flash Point	>93°C
Flammability	Not applicable
Upper and Lower	Not applicable
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not applicable
Specific	0.93 – 0.99g/mL at 20°C
Gravity/Density	

Safety Data Sheet



Solubility in water	Not available
Partition Coefficient:	Not available
Auto-ignition	Not applicable
Temperature	
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable

SECTION 10: STABILITY AND REACTIVITY

Stability of the substance:	Stable under normal conditions of storage and use
Conditions to avoid:	No specific conditions to avoid
Material to avoid:	Store only in the container supplied. Use the recommended delivery equipment.
Hazardous decomposition products:	None if stored and handled correctly

SECTION 11: TOXICOLOGICAL INFORMATION	
Acute effects:	Eprinomectin LD50 (Oral-rats) = 55mg/kg LD50 (Dermal-rabbits) = 406mg/kg
Swallowed Dermal Inhalation Eye Skin	Not applicable. Not applicable. Not applicable. Causes serious eye irritation. May causes an allergic skin reaction.
Reproductive Systemic	Suspected of damaging fertility or the unborn child.
Carcinogenicity Aspiration	Not applicable. Not applicable.
Germ Cell Mutagenicity	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.

SECTION 12: ENVIRONMENTAL INFORMATION

Very toxic to aquatic life with long lasting effects Hazardous to soil vertebrates Hazardous to terrestrial vertebrates

Product name: Eprisure Microject for Cattle Page 7 of 10 Last reviewed on: 11 April 2022



Hazardous to terrestrial invertebrates

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Ecotoxicity effects:	Eprinomectin is highly toxic to fish and extremely toxic to aquatic invertebrates. Very toxic to terrestrial invertebrates.

Do not allow to enter waterways or sewerage.

SECTION 13: DISPOSAL CONSIDERATIONS	
Product disposal:	Preferably dispose of product by use in accordance with label directions. Otherwise dispose of product at an approved landfill, or other approved facility in accordance with local, regional and national regulations. Avoid contamination of any water supply with product.
Container disposal:	Dispose of empty containers by wrapping in paper and putting in garbage for disposal at an approved landfill, or other approved facility in accordance with local, regional and national regulations. Avoid contamination of any water supply with empty container.

SECTION 14: TRANSPORT INFORMATION

UN No.:	3082
Class:	9
Packing Group:	III
Hazchem Code:	3Z
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Eprinomectin)

Limited Quantities Statement:

If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG



requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG

SECTION 15: REGULATORY INFORMATION	
Regulatory status:	Veterinary Medicines (Non- Dispersive Closed System Application) – HSR100758
HSW (HS) Regulations 2017 Signage Trigger Quantities (Schedule 3)	Trigger Quantity 100L
Emergency Response Plan (Schedule 5)	100L
Secondary Containment (Schedule 5)	100L
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
Location Certificate	Not required
HSNO Additional Controls (Restriction	
	This product shall only be used as a veterinary medicine.
Hazardous Property Controls Notice	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 3	Hazardous substances in a place other than a workplace.
ACVM Act and Regulations	
ACVM Approval No	A11934
See <u>www.foodsafety.govt.nz</u> for registration controls	

SECTION 16: OTHER INFORMATION

Glossary

CAT Category

EC50 Median effective concentration.

EEL Environmental Exposure Limit.

EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or



ingesting it.

- LD50 Lethal dose to kill 50% of test animals/organisms.
- LEL Lower explosive level.
- OSHA American Occupational Safety and Health Administration.
- TEL Tolerable Exposure Limit.
- TLV Threshold Limit Value-an exposure limit set by responsible authority.
- UEL Upper Explosive Level
- WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices Nov 2020 12th edition.

- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

This Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. ALLEVA Animal Health Limited makes no warranty with respect hereto and disclaims all liability from reliance thereon.

Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

PLEASE READ ALL LABELS CAREFULLY BEFORE USING PRODUCT. (R) Registered trademark of Alleva Animal Health Limited.

Issued Date: 11 April 2022

Review Date: 1 September 2026